

## Cim 776HF

### PRESSURE INDEPENDENT CONTROL VALVE "HIGH FLOW"



This article was made in compliance with the quality management requirements of ISO 9001 standard.

All articles are tested according to the EN 12266-1 standard.

It can be used in a wide variety of sectors: heating, air conditioning, water, sanitary systems and generally with any non corrosive liquid.

It is guaranteed for 5 years.


It is made of a "CR" - "DZR" brass alloy that complies with standard EN 12165-CW602N-M.

Nominal Pressure: PN25

Operating temperature: -10 to 120°C

## FLOW AND PRESSURE DROP

## PRESSURE TEMPERATURE RATINGS



#### Notes:

1 l/s = 3600 l/h

1 l/m = 60 l/h

1 kPa = approx. 100 mm

1 bar = 100 kPa

#### Notes:


1 bar = 14,5 psi

1 bar = 14,5 lbf/in²

°C = 5/9 x (°F-32)

°F = 32 + (9/5 x °C)


## TECHNICAL DRAWING



DN	1/2"	3/4"	1"	1"1/4	1"1/2	2"
<b>Grms.</b>	<b>875</b>	<b>860</b>	<b>1015</b>	<b>1460</b>	<b>2550</b>	<b>3200</b>
A	35	35	35	35	35	35
B	79	79	79	87	120	130
B1	72	72	72	76	87	93
C	95,5	96,5	102,5	128	144	155
D	14	15	17	20	17	20
CH	27	32	39	47	54	68

Thread:  
ISO 228

## TECHNICAL CHARACTERISTICS



DN	1/2"	3/4"	1"	1"1/4	1"1/2	2"
Flow (l/h)	244÷1724	292÷2039	292÷2039	465÷3056	2022÷7105	2204÷8586
Min ΔP (kPa)	18	22	22	18	26	32
Kv	4,06	4,34	4,34	7,20	13,94	15,18

KV = Flow rate in m<sup>3</sup>/h with a pressure drop of 1 bar

### REACH Regulation

According to article 33 of REACH Regulation, we inform you that the components made of bronze and brass alloys that are parts of the articles we supply, contain the lead (as alloy component) in a higher quantity of the limit of 0,1% in weight. Lead has been inserted in the list of SVHC substances nominated for the authorisation process, in the updating published by the European Chemical Agency ECHA on 27th June 2018. Lead has been introduced with the following information:

- Substance: Lead
- CAS: 7439-92-1
- EC: 231-100-4
- List: SVHC
- Data of Inclusion: 27<sup>th</sup> June 2018

Since lead is an element of the alloy, no exposure is expected and consequently, no further information is requested for the safe use of this product.

The list is available at the following link: <https://echa.europa.eu/it/candidate-list-table> and since it is a continuously updated list, we declare the constant monitoring about insertion of new substances and the prompt on time information to our customers in case such substances should be contained in the products we supply.

Make sure product materials and features are suitable for system scope and conform to the local regulations in force

## OUR CERTIFICATIONS

